

SAFETY DATA SHEET

SECTION I: IDENTIFICATION

Product: CT 2006

Description: AST-2 / High pH Presoak

Company Identification: Chemtech, Inc.
1621 N. 1st St.
Winterset, IA 50273
Phone: 888-570-5333
Website: www.chemtechus.com



Company Emergency Telephone Number: CHEMTREC 1-800-424-9300

SECTION II: HAZARD(S) IDENTIFICATION

GHS CLASSIFICATION

Skin Corrosion / Irritation: Category 1 Sub-Category A

Eye Damage / Eye Irritation: Category 1

GHS LABEL ELEMENTS

Signal Word: **Danger**

Hazard Pictogram:



Hazard Statements: Causes severe burns and serious eye damage. - H314
Causes serious eye damage - H318

PRECAUTIONARY STATEMENTS

Prevention: Wash hands thoroughly after handling. - P264
Do not breathe dust/fumes/gas/mist/vapors/spray. - P260
Wear protective gloves/protective clothing/eye protection/face protection. - P280
Keep in original or other corrosion resistant container. - P234

Response: Immediately call a POISON CENTER or doctor/physician. - P310
Take off contaminated clothing and wash it before reuse. - P362+364

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. - P305+351+338

Skin: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. - P303+361+353

Inhalation: IF INHALED: Move victim to fresh air and keep at rest in a position comfortable for breathing. - P304+340

Ingestion: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. - P301+330+331

Spill: Absorb spillage to prevent material damage. - P390

Storage: Store locked up. - P405
Store in a corrosive resistant container. - P406

Disposal: Dispose of contents and container in accordance with local, state and federal regulations. - P501

Hazards Not Classified: Not applicable.

Additional Information: Corrosive.
 Keep out of reach children. - P102
 Harmful contact may not cause immediate pain.
 Harmful or fatal if swallowed.
 Discard contaminated shoes/boots.
 Inhalation of vapors/mist may cause respiratory irritation or damage.
 NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

SECTION III: COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name | CAS # | Weight - % |
|---|------------|------------|
| Water | 7730-18-5 | 68-73% |
| Sodium Hydroxide | 1310-73-2 | 8-13% |
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium | 68439-57-6 | 1-6% |
| 2-Butoxyethanol | 111-76-2 | 1-6% |
| Ethylenediaminetetraacetic acid, tetrasodium salt | 64-02-8 | 7-12% |

Specific chemical identity and/or exact percentage of mixture has been withheld as a trade secret.

SECTION IV: FIRST AID MEASURES

Eye Contact: Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do. Continue rinsing. Seek medical assistance immediately.

Skin Contact: Immediately remove all contaminated clothing. Rinse with water or shower for at least 15 minutes. If irritation persists, IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

Inhalation: Move victim to fresh air and keep at rest in a comfortable position for breathing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

Ingestion: Rinse mouth. DO NOT INDUCE VOMITING. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Never give anything by mouth to an unconscious person.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

SYMPTOMS OF EXPOSURE

Eye Contact: Pain, swelling, redness of the conjunctiva and tissue damage. Contact with eye may result in permanent damage.

Skin Contact: Pain, blistering, redness and possible chemical burn.

Inhalation: Irritation or damage to the mucus membranes of respiratory tract. Coughing and nasal discomfort.

Ingestion: Damage or chemical burns to mouth, throat and stomach. Pain, vomiting, nausea and diarrhea.

SECTION V: FIRE-FIGHTING MEASURES

Extinguishing Media: Product does not support combustion. Use extinguishing agent suitable for type of surrounding fire.

Specific Hazards from the Chemical: Dried product is capable of burning.

Hazardous Combustion Products: May include carbon monoxide, carbon dioxide and other toxic gases or vapors.

Protective Equipment / Precautions for Firefighters: Wear OSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.

SECTION VI: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Environmental Precautions: Do not rinse spill onto the ground, into storm sewers or bodies of water.

Methods for Cleaning Up: If safe to do so, prevent further leakage or spillage. Contain and collect spillage with non-combustible absorbent material. Place in container for disposal according to local/national regulations (see Section 13).

SECTION VII: HANDLING AND STORAGE

Safe Handling: Do not breathe mist or vapor. Do not get in eyes, on skin or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate protective equipment. Observe good industrial hygiene practices. Avoid release to the environment. Do not empty into drains.

Storage Conditions for Safe Storage, Including any Incompatibilities: Store in original tightly closed container. Store away from incompatible materials (see Section 10).

SECTION VIII: EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits: None established.

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH |
|------------------|------------------------------|---|------------------------------------|
| Sodium Hydroxide | Ceiling: 2 mg/m ³ | 2 mg/m ³ Ceiling / 2 mg/m ³ (TWA) | Ceiling: 2 mg/m ³ |
| 2-Butoxyethanol | 20 ppm (TWA) | 240 mg/m ³ / 50 ppm (PEL) | 24 mg/m ³ / 5 ppm (TWA) |

Engineering Controls: Ensure good general ventilation. Eye wash stations and shower facilities should be readily accessible in areas where product is handled.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Eye/Face Protection: Wear splash goggles. For product usage over head wear a face shield over goggles.

Skin/Body Protection: Wear rubber or other chemical resistant gloves. Use of apron, boots and other protective equipment should be considered to prevent or minimize product exposure.

Respiratory Protection: Not required with expected use. If occupational exposure limits are exceeded or respiratory irritation occurs, use MSHA/NIOSH approved respirator according to conditions and chemicals in Section 3.

General Hygiene: Wash hands and any other exposed skin thoroughly after handling. For further guidance reference 29 CFR 1910.132-138.

SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES

| | |
|--------------------------------|---|
| Appearance / Color | Liquid / Clear Light Purple |
| Odor | Cherry |
| pH | 14.0 |
| Melting Point / Freezing Point | No information available |
| Boiling Point / Boiling Range | 100 ^o C / 212 ^o F |
| Flash Point | > 100 ^o C / > 212 ^o F |
| Evaporation Rate | No information available |
| Flammability (Solid, gas) | No information available |
| Upper Flammability Limit | No information available |
| Lower Flammability Limit | No information available |
| Vapor Pressure | No information available |
| Vapor Density | No information available |
| Specific Gravity | 1.12 |
| Solubility(ies) | No information available |
| Partition Coefficient | No information available |
| Autoignition Temperature | No information available |
| Decomposition Temperature | No information available |
| Viscosity | No information available |

SECTION X: STABILITY AND REACTIVITY

Reactivity: Product considered to be non-reactive under normal use conditions.

| | |
|---|--|
| Chemical Stability: | Stable under normal conditions. |
| Possibility of Hazardous Reaction: | Contact with aluminum or other reactive metals may release hydrogen gas. |
| Conditions to Avoid: | Extreme high or low temperatures. Direct sunlight. |
| Incompatible Materials: | Strong oxidizing agents, strong acids. |
| Hazardous Decomposition: | May include carbon monoxide, carbon dioxide and other toxic gases or vapors. |

SECTION XI: TOXICOLOGICAL INFORMATION

NUMERICAL MEASURES OF TOXICITY

| | | |
|--|-------------------------|---------------|
| Acute Toxicity Estimates (ATE): | ATEmix (oral): | > 2,000 mg/kg |
| | ATEmix (dermal): | > 2,000 mg/kg |

Component Acute Toxicity Information:

| Chemical Name | Oral LD50 | Dermal LD50 |
|---|-------------------|----------------------|
| Sodium Hydroxide | | 1,350 mg/kg (Rabbit) |
| sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium | > 5,000 mg/kg | |
| 2-Butoxyethanol | 470 mg/kg (Rat) | 400 mg/kg, (Rabbit) |
| Ethylenediaminetetraacetic acid, tetrasodium salt | 4,506 mg/kg (Rat) | |

Likely Routes of Exposure: Eyes, Skin, Ingestion, Inhalation.

SYMPTOMS OF EXPOSURE

Eye Contact: Pain, swelling, redness of the conjunctiva and tissue damage. Contact with eye may result in permanent damage.

Skin Contact: Pain, blistering, redness and possible chemical burn.

Inhalation: Irritation or damage to the mucus membranes of respiratory tract. Coughing and nasal discomfort.

Ingestion: Damage or chemical burns to mouth, throat and stomach. Pain, vomiting, nausea and diarrhea.

IMMEDIATE, DELAYED, CHRONIC EFFECTS

Product Information: Data not available or insufficient.

Target Organ Effects: Eyes, Respiratory System, Skin.

Carcinogenicity: No components present at 0.1% or greater are listed to be carcinogens by ACGIH, IARC, NTP or OSHA.

SECTION XII: ECOLOGICAL INFORMATION

Ecotoxicity:

| Chemical Name | Algae/Aquatic Plants | Fish | Microtoxicity | Crustacea |
|--|----------------------|--------------------|---------------|-----------------------------|
| Sodium Hydroxide | | 125 mg/l, 96 hrs | | 34.59-47.13 mg/l, 48 hrs |
| Sulfonic acids, c14-16-alkane hydroxy and c14-16-alkene, sodium | | 1-10 mg/l, 96 hrs | | 1-10 mg/l, 48 hrs |
| 2-Butoxyethanol | | 1,250 mg/l, 96 hrs | | |
| Ethylenediaminetetraacetic acid, tetrasodium salt acid, tetrasodium salt | > 100 mg/l, 72 hrs | > 100 mg/l, 96 hrs | | > 500 mg/l, 24 hrs |

Persistence and Degradability: Not available.

Bioaccumulative Potential: Not available.

Mobility in Soil: Not available.

SECTION XIII: DISPOSAL CONSIDERATIONS

Disposal of Waste: Dispose of in accordance with federal, state and local regulations.

Contaminated Packaging: Dispose of in accordance with federal, state and local regulations.

SECTION XIV: TRANSPORT INFORMATION

DOT:

UN/ID #: 1760

Proper Shipping Name: Compound, Cleaning, Liquid, N.O.S. (Sodium Hydroxide Solution).

Hazard Class: 8

Packing Group: III

SECTION XV: REGULATORY INFORMATION

TSCA Status (Toxic Substance Control Act Section 8(b) Inventory):

All chemical components in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313: This product does not contain listed substances above the "de minimus" level.

SARA 311/312 HAZARD CATEGORIES

Acute Health Hazard: Yes

Chronic Health Hazard: No

Fire Hazard: No

Sudden Release of Pressure Hazard: No

Reactive Hazard: No

California Proposition 65: This product does not contain any Proposition 65 chemicals.

SECTION XVI: OTHER INFORMATION

Issue Date: 06/01/15

HAZARD RATINGS:

| | | | | | |
|------------|---|--------------|-----------|-----------------|---------------------|
| Version #: | 1 | NFPA: | Health: 2 | Flammability: 0 | Instability: 0 |
| | | HMIS: | Health: 2 | Flammability: 0 | Physical Hazards: 0 |

Disclaimer: AS THE CONDITIONS OR METHODS OF USE ARE BEYOND OUR CONTROL, WE DO NOT ASSUME ANY RESPONSIBILITY AND EXPRESSLY DISCLAIM ANY LIABILITY FOR ANY USE OF THIS MATERIAL. THE INFORMATION CONTAINED HEREIN IS BELIEVED TO BE TRUE AND ACCURATE BUT ALL STATEMENTS OR SUGGESTIONS ARE MADE WITHOUT WARRANTY, EXPRESSED OR IMPLIED, REGARDING THE ACCURACY OF THIS INFORMATION, THE HAZARDS CONNECTED WITH THE USE OF THE MATERIAL OR RESULTS TO BE OBTAINED FROM THE USE THEREOF. COMPLIANCE WITH FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS REMAIN THE RESPONSIBILITY OF THE USER.