

**SAFETY DATA SHEET**

**SECTION I: IDENTIFICATION**

**Product:** CT 2022

**Description:** Clear Coat / Clear Coat Protectant

**Company Identification:** Chemtech, Inc.  
1621 N. 1st St.  
Winterset, IA 50273  
Phone: 888-570-5333  
Website: www.chemtechus.com



**Company Emergency Telephone Number:** CHEMTREC 1-800-424-9300

**SECTION II: HAZARD(S) IDENTIFICATION**

**GHS CLASSIFICATION**

**Aspiration Toxicant:** Category 2

**Skin Corrosion/Irritation:** Category 2

**Eye Damage/Eye Irritation:** Category 2

**GHS LABEL ELEMENTS**

**Signal Word:** **Warning**

**Hazard Pictograms:**



**Hazard Statements:** May be harmful if swallowed and enters airway. - H305  
Causes skin irritation. - H315  
Causes serious eye irritation. - H319

**Prevention:** Do not breathe dust/fumes/gas/mist/vapors/spray. - P260  
Wear protective gloves/protective clothing/eye protection/face protection. - P280  
Avoid release to the environment. - P273  
Keep in container tightly closed. - P233  
Wash hands thoroughly after handling. - P264  
Do not eat, drink or smoke when using this product. - P270

**Response:** Immediately call a POISON CENTER or doctor/physician. - P310

**Fire:** In case of fire: Use water spray, carbon dioxide, dry chemical or alcohol resistant foam for extinction. - P370+378

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. - P305+351+338

**Skin:** IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. - P303+361+353

**Inhalation:** IF INHALED: Move victim to fresh air and keep at rest in a position comfortable for breathing. - P304+340

**Ingestion:** IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. - P301+310  
Do NOT induce vomiting. - P331

**Spill:** Absorb spillage to prevent material damage. - P390  
**Storage:** Store locked up. - P405  
**Disposal:** Dispose of contents and container in accordance with local, state and federal regulations. - P501

### SECTION III: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS #	Weight - %
Water	7732-18-5	80-85%
Distillates (petroleum), straight-run middle	64741-44-2	7-12%
Propanol, 2-	67-63-0	5-10%
2-Butoxyethanol	111-76-2	0-5%

Specific chemical identity and/or exact percentage of mixture has been withheld as a trade secret.

### SECTION IV: FIRST AID MEASURES

**Eye Contact:** Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do. Continue rinsing. Seek medical assistance immediately.

**Skin Contact:** Immediately remove all contaminated clothing. Rinse with water or shower for at least 15 minutes. If irritation persists, IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

**Inhalation:** Move victim to fresh air and keep at rest in a comfortable position for breathing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

**Ingestion:** Rinse mouth. DO NOT INDUCE VOMITING. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Never give anything by mouth to an unconscious person.

### SYMPTOMS OF EXPOSURE

**Eye Contact:** Primary irritation to eyes, redness, tearing, blurred vision. Liquid can cause eye irritation. Wash thoroughly after handling.

**Skin Contact:** Primary irritation to skin, defatting, dermatitis. Absorption through skin increases exposure. Wash thoroughly after handling.

**Inhalation:** Anesthetic. Irritates respiratory tract. Acute overexposure can cause serious nervous system depression. Breathing vapor can cause irritation. Acute overexposure can cause damage to kidneys, blood, nerves, liver and lungs.

**Ingestion:** Harmful or fatal if swallowed. Swallowing can cause abdominal irritation, nausea, vomiting and diarrhea.

### SECTION V: FIRE-FIGHTING MEASURES

**Extinguishing Media:** Use water spray, carbon dioxide, dry chemical or alcohol resistant foam for extinction.

**Specific Hazards from the Chemical:** None known.

**Specific Methods:** Use standard firefighting procedures and consider the hazards of other involved materials.

**Protective Equipment / Precautions for Firefighters:** Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear.

### SECTION VI: ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

**Environmental Precautions:** Do not rinse spill onto the ground, into storm sewers or bodies of water.

**Methods for Cleaning Up:** If safe to do so, prevent further leakage or spillage. Contain and collect spillage with non-combustible absorbent material. Place in container for disposal according to local/national regulations (see Section 13).

## SECTION VII: HANDLING AND STORAGE

**Safe Handling:** Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate protective equipment. Observe good industrial hygiene practices. Avoid release to the environment. Do not empty into drains.

**Storage Conditions for Safe Storage, Including any Incompatibilities:** Store in original tightly closed container. Store away from incompatible materials (see Section 10).

## SECTION VIII: EXPOSURE CONTROLS / PERSONAL PROTECTION

**Occupational Exposure Limits:** None established.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Distillates (petroleum), straight-run middle	200 mg/m <sup>3</sup>		
Propanol, 2-	200 ppm (TWA) / 400 ppm (STEL)	400 ppm; 980 mg/m <sup>3</sup> (TWA) / 500 ppm; 1,225 mg/m <sup>3</sup> (STEL)	400 ppm; 980 mg/m <sup>3</sup> (REL) / 500 ppm; 1,225 mg/m <sup>3</sup> (STEL)
2-Butoxyethanol	20 ppm (TWA)	240 mg/m <sup>3</sup> / 50 ppm (PEL)	24 mg/m <sup>3</sup> / 5 ppm (TWA)

**Engineering Controls:** Ensure good general ventilation. Eye wash stations and shower facilities should be readily accessible in areas where product is handled.

### PERSONAL PROTECTIVE EQUIPMENT (PPE)

**Eye/Face Protection:** Wear splash goggles. For product usage over head wear a face shield over goggles.

**Skin/Body Protection:** Wear rubber or other chemical resistant gloves. Use of apron, boots and other protective equipment should be considered to prevent or minimize product exposure.

**Respiratory Protection:** If used outdoors or in well-vented area not required if under exposure limits. A respiratory program that meets OSHA 29 CFR 1910.134 and ANSI Z86.2 requirements must be followed whenever workplace conditions warrant a respirators use.

**General Hygiene:** Wash hands and any other exposed skin thoroughly after handling. For further guidance reference 29 CFR 1910.132-138.

## SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES

Appearance / Color	Liquid / Golden
Odor	Tropical Blend
pH	7.0 - 7.5
Melting Point / Freezing Point	No information available
Boiling Point / Boiling Range	212 <sup>o</sup> F
Flash Point	> 100 <sup>o</sup> C / > 212 <sup>o</sup> F
Evaporation Rate	No information available
Flammability (Solid, gas)	No information available
Upper Flammability Limit	No information available
Lower Flammability Limit	No information available
Vapor Pressure	No information available
Vapor Density	No information available
Specific Gravity	0.98
Solubility(ies)	No information available
Partition Coefficient	No information available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	No information available

## SECTION X: STABILITY AND REACTIVITY

**Chemical Stability:** Stable under normal conditions.

**Hazardous Polymerization:** Will not occur.

**Conditions to Avoid:** Isolate from oxidizers, extreme temperatures.

**Incompatible Materials:** Isolate from strong oxidizers.

**Hazardous Decomposition:** Carbon Monoxide, Carbon Dioxide from burning.

## SECTION XI: TOXICOLOGICAL INFORMATION

### NUMERICAL MEASURES OF TOXICITY

**Acute Toxicity Estimates (ATE):**

**ATEmix (oral):** > 2,000 mg/kg

**ATEmix (dermal):** > 2,000 mg/kg

**ATEmix (inhalation):** > 20,000 ppm

### INFORMATION ON TOXICOLOGICAL EFFECTS

#### Component Acute Toxicity:

Chemical Name	Oral LD50	Dermal LD50
Distillates (petroleum), straight-run middle	> 5,000 mg/kg (Rat)	> 2,000 mg/kg (Rabbit)
Propanol, 2-	2,000 mg/kg (Rat)	6,290 mg/kg (Rabbit)
2-Butoxyethanol	470 mg/kg (Rat)	400 mg/kg (Rabbit)

**Likely Routes of Exposure:** Eyes, Skin, Ingestion, Inhalation.

### SYMPTOMS OF EXPOSURE

**Eye Contact:** Primary irritation to eyes, redness, tearing, blurred vision. Liquid can cause eye irritation. Wash thoroughly after handling.

**Skin Contact:** Primary irritation to skin, defatting, dermatitis. Absorption through skin increases exposure. Wash thoroughly after handling.

**Inhalation:** Anesthetic. Irritates respiratory tract. Acute overexposure can cause serious nervous system depression. Breathing vapor can cause irritation. Acute overexposure can cause damage to kidneys, blood, nerves, liver and lungs.

**Ingestion:** Harmful or fatal if swallowed. Swallowing can cause abdominal irritation, nausea, vomiting and diarrhea.

### IMMEDIATE, DELAYED, CHRONIC EFFECTS

**Product Information:** Data not available or insufficient.

**Target Organ Effects:** Chronic overexposure can cause damage to kidneys, blood, nerves, liver and lungs. Person with severe skin, liver or kidney problems should avoid use.

**Carcinogenicity:** No components present at 0.1% or greater are listed to be carcinogens by ACGIH, IARC, NTP or OSHA.

## SECTION XII: ECOLOGICAL INFORMATION

#### Ecotoxicity:

Chemical Name	Algae/Aquatic Plants	Fish	Microtoxicity	Crustacea
2-Butoxyethanol		1,250 mg/l, 96 hrs		

**Persistence and Degradability:** Not available.

**Bioaccumulative Potential:** Not available.

**Mobility in Soil:** Not available.

**SECTION XIII: DISPOSAL CONSIDERATIONS**

**Disposal of Waste:** Dispose of in accordance with federal, state and local regulations.

**Contaminated Packaging:** Dispose of in accordance with federal, state and local regulations.

**SECTION XIV: TRANSPORT INFORMATION**

**DOT:** Not regulated.

**UN/ID #:**

**Proper Shipping Name:** Cleaning, Cleaning Liquids, N.O.S.

**Hazard Class:**

**Packing Group:**

**SECTION XV: REGULATORY INFORMATION****TSCA Status (Toxic Substance Control Act Section 8(b) Inventory):**

All chemical components in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

**SARA 313:** This product does not contain listed substances above the "de minimus" level.

**SARA 311/312 HAZARD CATEGORIES**

**Acute Health Hazard:** Yes

**Chronic Health Hazard:** Yes

**Fire Hazard:** No

**Sudden Release of Pressure Hazard:** No

**Reactive Hazard:** No

**California Proposition 65:** This product does not contain any Proposition 65 chemicals.

**SECTION XVI: OTHER INFORMATION**

**Issue Date:** 06/01/15

**HAZARD RATINGS:**

**Version #:** 1

<b>HMIS:</b>	Health: 1	Flammability: 0	Reactivity: 0
<b>NFPA:</b>	Health: 1	Flammability: 0	Physical Hazard: 0

**Disclaimer:** AS THE CONDITIONS OR METHODS OF USE ARE BEYOND OUR CONTROL, WE DO NOT ASSUME ANY RESPONSIBILITY AND EXPRESSLY DISCLAIM ANY LIABILITY FOR ANY USE OF THIS MATERIAL. THE INFORMATION CONTAINED HEREIN IS BELIEVED TO BE TRUE AND ACCURATE BUT ALL STATEMENTS OR SUGGESTIONS ARE MADE WITHOUT WARRANTY, EXPRESSED OR IMPLIED, REGARDING THE ACCURACY OF THIS INFORMATION, THE HAZARDS CONNECTED WITH THE USE OF THE MATERIAL OR RESULTS TO BE OBTAINED FROM THE USE THEREOF. COMPLIANCE WITH FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS REMAIN THE RESPONSIBILITY OF THE USER.